





HDX780

With never before seen features like the headsup display, the newly designed seat frame for better visibility, and the built-in 'Intelli-Power' system, the HDX780 riding trowel truly stands alone in the industry. This machine uses these new features to ensure maximum performance from its Bosch-Rexroth hydraulic components but also increases its lifetime. The HDX780 will be available in a standard rotation or counter rotation.

SPECIFICATIONS

ENGINE Hatz 4H50TIC HORSEPOWER CLASS 74 hp (55 k FUEL TYPE Diesel	; (T4F)
FIIFI TYPE	:W)
Dieser	
PANNING PATH WIDTH 140 in (356 cm)	12' Class
ROTOR DIAMETER 60 in (152 cm) 6-Bla	aded Rotor
ROTOR ROTATION Standard or Counter	er Rotation
MAXIMUM ROTOR SPEED 130 rpm	ı
STEERING CONTROL SYSTEM Power	
FUEL CAPACITY 18 gal (68	L)
RETARDANT CAPACITY 6 gal (23 l	L)
WEIGHT 2,836 lb (1,28	36 kg)
DIMENSIONS (L X W X H) 147.8 x 68.3 x (375.4 x 173.5 x 1	
PART NO. MODEL NO. DESCRIPTION	
073550 TR-HDX780T4 Hydraulic Drive & Steering, twin 60" (152 cm) 6-blade rotors, 139" (35 (T4) turbo diesel 74 hp class engine, 6 lights, power retardant s	, i • · ·
Trowel, Rider, Counter Rotation, Hydraulic Drive & Steering, twin 60 069600 TR-HDX780T4-CR cm) panning width, Hatz 4H50HTIC (T4) turbo diesel 74 hp class eng 10-130 RPM rotor speeds	
PART NO. MODEL NO. OPTIONAL ACCESSORIES	
048770 TR-DJHDX1 Dolly Jacks, Pneumatic Tires, Set of two, 16	65 lb (75 kg)
064798 TR-LB60-2-3 Lifting Bridle - 6,000 lbs - 2-Point x 3', 17	lb (11 kg)

BLADE & PAN RECOMMENDATIONS

BLADES		HDX780
TYPE	PART NO.	DESCRIPTION
FINISH	039831-4	6" x 23" Finish - Silver Series
FLAT FINISH	047973G-4	8" x 23" Finish - Gold Series, COMES WITH THESE MACHINES
COMBO	039846AV-4	8" x 23" Combo - Blue Series
PLASTIC FINISH	048342-4	6" x 23" - Finish - Poly / Steel Backed
PANS		HDX780
TYPE	PT. NO.	DESCRIPTION
CLIP-ON DISHED	N/A	N/A
SAFETY CATCH DISHED	N/A	N/A
CLIP ON FLAT	047390	62.5" O.D 45° Lip - 6-Blade
SAFETY CATCH FLAT	047438	62.5" O.D 45° Lip - 6-Blade

TROWEL BLADES

Allen Engineering offers a complete line of finish blades, combination blades, and clip-on float shoes for your walk-behind or ride-on power trowels. We use high-quality steel or composite plastic with six high-strength rivets to maximize blade life. For the flattest floors, trust only Allen Finishing Blades. And, Allen Blades fit most other brands of walkers and riders.





Scan this QR code to learn more details about this product.

		HDX780
PART NO.	MODEL NO.	DESCRIPTION
039831-4	TBF6X23S-4	Finish - 6" x 23" - Silver Series - set of 4, 19 lb (9 kg)
039831A-4	TBF6X23B-4	Finish - 6" x 23" - Blue Series - set of 4, 25 lb (11 kg)
048342-4	TBF6X105B4	Plastic Finish - 6" x 23" - Steel Reinforced - set of 4, 26 lb (12 kg)
047973G-4	TBFF8X23V4	Flat Finish - 8" x 23" - Gold Series - set of 4, 28 lb (13 kg)
039846V-4	TBC8X23FS4	Combo - 8" x 23" - Silver Series - set of 4, 11 lb (5 kg)
039846AV-4	TBC8X23-4	Combo - 8" x 23" - Blue Series - set of 4, 26 lb (12 kg)

STEEL FLOAT PANS

Allen Engineering pioneered the use of floating discs (or pans) on riding trowels in 1989 and Allen® Pans remain today the finisher's choice when high FF Numbers are specified on a concrete floor. Allen's flat pan tolerances cut bumps and fill low spots in the concrete floor. Insist on Allen® Steel Pans for your Allen Riders and Walk-Behinds. Made to the same exacting tolerances as the trowels themselves, nothing finishes better.



Scan this QR code to learn more details about this product.



TWO TYPES OF PANS

Allen offers both Flat (0" to 1/8" dish) and Mild-Dished (1/4" to 3/8" dish) steel pans. This gives contractors even more pan choices from Allen.



		HDX780
PART NO.	MODEL NO.	DESCRIPTION
047390-10	P6C6212-10	62 1/2" O.D., Allen Flat, 45° Lip Angle, 6-Blade, Clip On (Ten Pack), 1,190 lb (540 kg)
047438-10	P6S6212-10	62 ½" O.D., Allen Flat, 45° Lip Angle, 6-Blade, Safety Catch (Ten Pack), 1,190 lb (540 kg)