

### **SPECIFICATIONS**

SPECIFICATIO	NS	PR0436
ENGINE		Honda GX160 (163 cc) or Honda GX270 (270 cc)
HORSEPOWER CLASS		5.5 hp (4.1 kW) or 9 hp (6.7 kW)
FUEL TYPE		Gasoline
ROTOR DIAMETER		36 in (91 cm) 4-blades
MAXIMUM ROTOR SPEED		120 rpm
TROWEL ARMS & SPIDER		Standard Duty
WEIGHT		186 lb (84 kg) or 222 lb (101 kg)
DIMENSIONS (L X W X H)		72 x 38 x 36 in (182.8 x 96.5 x 91.4 cm)
PART NO.	MODEL NO.	DESCRIPTION
049782A	TWP4365HF	PRO436 - 5.5 hp class engine, fine pitch handle, stationary guard ring, lift hook
063967A	TWP4365HP	PRO436 - 5.5 hp class engine, rapid pitch handle, stationary guard ring, lift hook
049783A	TWP4369HF	PRO436 - 9 hp class engine, fine pitch handle, stationary guard ring, lift hook
063968A	TWP4369HP	PRO436 - 9 hp class engine, rapid pitch handle, stationary guard ring, lift hook
PART NO.	MODEL NO.	HANDLE OPTIONS
063975	TWPHF-L	Fine pitch handle w/ carry bar & handle pad for PRO Walkers, 33 lb (15 kg)
070300	TWPHR-L	Rapid pitch handle w/ carry bar & handle pad for PRO Walkers, 33 lb (15 kg)

### **BLADE & PAN RECOMMENDATIONS**

BLADES	PR0436
FINISH	015890V-4: 6" x 14", Finish - Silver Series
FLAT FINISH	051317-4: 8" x 14", Flat Finish - Silver Series
СОМВО	016095V-4: 8" x 14", Combo - Silver Series COMES WITH THESE BLADES
CLIP ON FLOAT (RH)	02822614-4: 10" x 14", Clip-On Float - Silver Series
PLASTIC FINISH	047229-4: 6" x 14", Finish - Poly / Steel Backed
PANS	PR0436

### CLIP-ON DISHED

CLIP ON FLAT

#### SAFETY CATCH FLAT



Fine pitch handles use a twist action to control blade pitch from flat to 28° and anything in between.

N/A

047128 - 36.5" O.D. 67° Lip Angle

047130 - 36.5" O.D. 67° Lip Angle



Rapid pitch handles use a ratcheting action to provide easy adjustment with the push or pull of a lever.

## FINISHING


## WALK-BEHIND TROWELS: PROFESSIONAL // PRO SERIES

# **TROWEL BLADES**

Allen Engineering offers a complete line of finish blades, combination blades, and clip-on float shoes for your walk-behind or ride-on power trowels. We use high-quality steel or composite plastic with six high-strength rivets to maximize blade life. For the flattest floors, trust only Allen Finishing Blades. And, Allen Blades fit most other brands of walkers and riders.



Scan this QR code to learn more details about this product.




		PR0436
PART NO.	MODEL NO.	DESCRIPTION
015890V-4	TBF6X14V-4	Finish 6" x 14" VP Silver Series - set of 4, 11 lb (5 kg)
015890A-4	TBF6X14B-4	Finish 6" x 14" Blue Series - set of 4, 13 lb (6 kg)
047229-4	TBF6X14 P4	Finish Plastic 6" x 14" (Steel Reinforced) - set of 4, 15 lb (7 kg)
028779G-4	TBFF8X14G4	Flat Finish (.092) 8" x 14" Gold Series - set of 4, 17 lb (8 kg)
016095V-4	TBC8-14V-4	Combo 8" x 14" VP Silver Series - set of 4, 11 lb (5 kg)
033867-4	TBCC814S-4	Combo, Channel Mount (7/8") 8" x 14" Silver Series - set of 4, 12 lb (5 kg)
016095AV-4	TBC8-14V-4	Combo 8" x 14" Blue Series - set of 4, 16 lb (7 kg)
035217-4	TBC8X14G-4	Combo 8" x 14" Gold Series - set of 4, 16 lb (7 kg)
048353-4	TBC8X14P-4	Combo Plastic 8" x 14" (Steel Reinforced) - set of 4, 16 lb (7 kg)
02822614-4	TBCFR14S-4	Float, Clip On 10" x 14" RH Silver Series - set of 4, 21 lb (10 kg)
02822314-4	TBCFL14S-4	Float, Clip On 10" x 14" LH (Ride-On Trowels Only) Silver Series-set of 4, 21 lb (10 kg)
033271-4	TBAB-14-4	Adaptor Bar for Channel Blades, 18" X 4", 21 lb (10 kg)

# **STEEL FLOAT PANS**

Allen Engineering pioneered the use of floating discs (or pans) on riding trowels in 1989 and Allen® Pans remain today the finisher's choice when high FF Numbers are specified on a concrete floor. Allen's flat pan tolerances cut bumps and fill low spots in the concrete floor. Insist on Allen® Steel Pans for your Allen Riders and Walk-Behinds. Made to the same exacting tolerances as the trowels themselves, nothing finishes better.



Scan this QR code to learn more details about this product.



### TWO TYPES OF PANS

Allen offers both Flat (0" to 1/8" dish) and Mild-Dished (1/4" to 3/8" dish) steel pans. This gives contractors even more pan choices from Allen.



		PR0436
PART NO.	MODEL NO.	DESCRIPTION
047128-10	P4C3612-10	36 ½" O.D., Universal Flat, 67° Lip Angle, 4-Blade, Clip On (Ten Pack), 430 lb (195 kg)
047130-10	P4S3612-10	36 1⁄2" O.D., Universal Flat, 67° Lip Angle, 4-Blade, Safety Catch (Ten Pack), 430 lb (195 kg)