
POLISHING RIDERS





Scan this QR code to learn more details about this product.



Continuous spray option for consistent application.



SPIDER

Cruise Control to maintain consistent rotor speed.





Rear and front spray nozzle selector.

steering, was designed mind. This riding trowel comes as designed to achieve high rotor speeds to achieve high torque while polishing. It also comes equipped with standard features power steering control and dolly jacks that ensure transportation indoors can be done with ease. This design is also built on our popular edging riding trowel frame to allow contractors to get extremely close to the wall while polishing.



Power steering control system to increase maneuverability.

SPECIFICATIONS

SPECIFICATIONS	RP245
ENGINE	KOHLER PCH740
HORSEPOWER CLASS	25 hp (18.6 kW)
FUEL TYPE	Fuel Injected Vapor Draw Propane
PANNING PATH WIDTH	84.25 in (214 cm)
ROTORS (DIAMETER)	36 in (91.4 cm) 4-Bladed Spider
MAXIMUM ROTOR SPEED	180 RPM
STEERING CONTROL SYSTEM	Power
PROPANE FUEL CAPACITY	33 lb (8 L)
RETARDANT CAPACITY	9 gal (34 L)
WEIGHT	1145 lb (519 kg)
DIMENSIONS (L X W X H)	86.6 x 37.6 x 56.4 in (219.9 x 95.5 x 143.3 cm)

PART NO.	MODEL NO.	DESCRIPTION
070450	TR-RP245	Polisher, Rider, Mechanical, "TC" Torque Converter Clutch Drive, Power Steering, Helical Gearboxes, Twin 36" (91.4 cm) 4-blade rotors, Kohler PCH740 Propane 25hp class engine, 4 lights, power retardant spray, 45-180 RPM Rotor Speeds
PART NO.	MODEL NO.	OPTIONAL ACCESSORIES
070195	PPDA36	Polishing, Planetary Disc Assembly for Twin 36" (6') Ride-on Trowel (2 required)

KIT INCLUDING UNIVERSAL BLADE HOLDERS

PART NO.	MODEL NO.	DESCRIPTION
072615	PKUBH- PD-36WLK	Universal Blade Holders and Polishing Pads for 36" and 46" Walk-Behind Trowel to polish approxi- mately 25,000 sqft
072617	PKUBH- PD-36RD	Univeral Blade Holders and Polishing Pads for Twin 36" (6'), 4-blade Ride-on Trowel to polish approximately 25,000 sqft
072618	PKUBH- PD-46RD	Universal Blade Holders and Polishing Pads for Twin 46" (8'), 5-blade Ride-on Trowel to polish approximately 25,000 sqft
072619	PKPD-36WLK	Polishing Pads only for 36" and 46" Walk-Behind Trowel to polish approximately 25,000 sqft
072621	PKPD-36RD	Polishing Pads only for Twin 36" (6'), 4-blade Ride-on Trowel to polish approximately 25,000 sqft
072622	PKPD-46RD	Polishing Pads only for Twin 46" (8'), 5-blade Ride-on Trowel to polish approximately 25,000 sqft

POLISHING PAD KITS (LESS BLADE HOLDERS)

PART NO.	MODEL NO.	DESCRIPTION
072804	APP128-40-2	APP 12" x 8" 40 Grit Polishing Pad- 2 pack (Step 1)
072805	APP128-100-2	APP 12" x 8" 100 Grit Polishing Pad- 2 pack (Step 2)
072806	APP128-400-2	APP 12" x 8" 400 Grit Polishing Pad- 2 pack (Step 3)
072807	APP128-800-2	APP 12" x 8" 800 Grit Polishing Pad- 2 pack (Step 4)
072808	APP128-1500-2	APP 12" x 8" 1500 Grit Polishing Pad- 2 pack (Step 5)
072809	UVHDLR-2	APP Universal blade holder - 2 pack



PLANETARY 13" DISC FOR RP235 & RP245

PART NO.	MODEL NO.	DESCRIPTION
072810	APP40-13-1	APP 40 GRIT C-PAD - 13" POLISHING PAD - 1 PACK (Step 1)
072811	APP100-13-1	APP 100 GRIT C-PAD - 13" POLISHING PAD - 1 PACK (Step 2)
072812	APP400-13-1	APP 400 GRIT C-PAD - 13" POLISHING PAD - 1 PACK (Step 3)
072813	APP800-13-1	APP 800 GRIT C-PAD - 13" POLISHING PAD - 1 PACK (Step 4)
072814	APP1500-13-1	APP 1500 GRIT C-PAD - 13" POLISHING PAD - 1 PACK (Step 5)

DENSIFIERS & SR2

PART NO.	MODEL NO.	DESCRIPTION DENSIFIERS (STRENGTHEN)
072624	3D-1G	3D HS DENSIFIER (1 GALLON RTU) COVERS APPROX. 600 SQFT
072625	3D-5G	3D HS DENSIFIER (5 GALLON RTU) COVERS APPROX. 3,000 SQFT
072626	3D-30G	3D HS DENSIFIER (30 GALLON RTU) COVERS APPROX. 18,000 SQFT
072627	3D-55G	3D HS DENSIFIER (55 GALLON RTU) COVERS APPROX. 33,000 SQFT
072628	3D-250G	3D HS DENSIFIER (250 GALLON RTU) COVERS APPROX. 150,000 SQFT
PART NO.		
PANI NU.	MODEL NO.	DESCRIPTION SR2 (PROTECT & SEAL)
072629	MODEL NO. SR2-1G	SR2 (1 GALLON RTU) COVERS APPROX. 4,000 SQFT
		· · · · · · · · · · · · · · · · · · ·
072629	SR2-1G	SR2 (1 GALLON RTU) COVERS APPROX. 4,000 SQFT
072629 072630	SR2-1G SR2-5G	SR2 (1 GALLON RTU) COVERS APPROX. 4,000 SQFT SR2 (5 GALLON RTU) COVERS APPROX. 20,000 SQFT